

## **DESAFIOS EDUCACIONAIS E FÍSICOS DE PRÉ-ESCOLARES SENIORES COM DISTÚRBIOS DO ESPECTRO DO AUTISMO**

### ***DESAFÍOS EDUCATIVOS Y FÍSICOS DE LOS PREESCOLARES MAYORES CON TRASTORNOS DEL ESPECTRO DEL AUTISMO***

### ***EDUCATIONAL AND PHYSICAL CHALLENGES OF SENIOR PRESCHOOLERS WITH AUTISM SPECTRUM DISORDERS***

Voloshina, L.N.<sup>1</sup>  
Shinkareva, L.V.<sup>2</sup>  
Galinskaya, O.G.<sup>3</sup>  
Panassenko, K.E.<sup>4</sup>

**RESUMO:** A relevância do problema apontado é confirmada pelo aumento do número de crianças com transtorno do espectro do autismo (TEA), pela necessidade de suporte pedagógico e pela efetividade de sua educação física e cognitiva na infância pré-escolar, considerando o nível de desenvolvimento das habilidades motoras e recursos pessoais. O objetivo do estudo é analisar os desafios educacionais e físicos de crianças em idade pré-escolar com transtornos do espectro do autismo. O material de pesquisa são os resultados do teste de 17 pré-escolares seniores com ASD (14 meninos e três meninas) que frequentam grupos compensatórios e combinados de instituições educacionais pré-escolares nº 12 e 15 em Belgorod. Nosso estudo revela problemas educacionais e físicos em crianças com TEA associados ao desenvolvimento do desenvolvimento cognitivo, função de equilíbrio, desregulação da atividade muscular e dificuldades de direcionamento na execução de movimentos. As crianças apresentam arbitrariedade reduzida, coordenação de movimentos prejudicada.

**PALAVRAS-CHAVE:** Desafios educacionais e físicos. Desenvolvimento cognitivo. Apoio pedagógico. Pré-escolares com ASD.

**RESUMEN:** *La relevancia del problema planteado se confirma por el aumento en el número de niños con trastorno del espectro autista (TEA), la necesidad de apoyo pedagógico de la efectividad de su educación física y cognitiva durante la niñez preescolar, considerando el nivel de desarrollo de las habilidades motoras. y recursos personales. El objetivo del estudio es analizar los desafíos físicos y educativos de los niños en edad preescolar mayores con trastornos del espectro autista. El material de investigación son los resultados de las pruebas*

---

<sup>1</sup> Federal State Autonomous Educational Institution of Higher Education “Belgorod State National Research University” (NRI BelSU), Belgorod, Russia, e-mail: voloshina\_l@bsu.edu.ru, <https://orcid.org/0000-0002-3799-0031>

<sup>2</sup> Federal State Autonomous Educational Institution of Higher Education “Belgorod State National Research University” (NRI BelSU), Belgorod, Russia, e-mail: shinkareva@bsu.edu.ru, <https://orcid.org/0000-0002-7168-7765>

<sup>3</sup> Federal State Autonomous Educational Institution of Higher Education “Belgorod State National Research University” (NRI BelSU), Belgorod, Russia, e-mail: galinskaya@bsu.edu.ru, <https://orcid.org/0000-0002-8149-7009>.

<sup>4</sup> Federal State Autonomous Educational Institution of Higher Education “Belgorod State National Research University” (NRI BelSU), Belgorod, Russia, e-mail: panassenko@bsu.edu.ru, <https://orcid.org/0000-0003-4883-0102>.

*de 17 niños en edad preescolar con TEA (14 niños y tres niñas) que asisten a grupos compensatorios y combinados de las instituciones de educación preescolar No. 12 y 15 en Belgorod. Nuestro estudio revela problemas educativos y físicos en niños con TEA asociados con el desarrollo del desarrollo cognitivo, la función del equilibrio, la desregulación de la actividad muscular y las dificultades con la focalización en la ejecución de los movimientos. Los niños muestran una arbitrariedad reducida, una coordinación de movimientos deteriorada.*

**PALABRAS CLAVE:** *Desafíos físicos y educativos. Desarrollo cognitivo. Apoyo pedagógico. Niños en edad preescolar con TEA.*

**ABSTRACT:** *The relevance of the stated problem is confirmed by the increase in the number of children with autism spectrum disorder (ASD), the need for pedagogical support of the effectiveness of their physical and cognitive education during preschool childhood, considering the level of development of motor abilities and personal resources. The aim of the study is to analyze the educational and physical challenges of senior preschoolers with autism spectrum disorders. The research material is the test results of 17 senior preschoolers with ASD (14 boys and three girls) attending compensatory and combined groups of preschool educational institutions No. 12 and 15 in Belgorod. Our study reveals educational and physical problems in children with ASD associated with the development of Cognitive development, balance function, dysregulation of muscle activity, and difficulties with targeting in the performance of movements. Children show reduced arbitrariness, impaired coordination of movements.*

**KEYWORDS:** *Educational and Physical Challenges. Cognitive Development. Pedagogical Support. Preschoolers with ASD.*

## **Introduction**

Humanization and focus of modern preschool education on creating an inclusive educational environment urges scientists, practitioners, and parents to solve such a problem as meeting the need for affordable and high-quality education considering the child's abilities and personal resources.

The relevance of the problem is confirmed by the increase in the number of children with disabilities. The total number of children with autism spectrum disorder (ASD) at the level of preschool education in the Russian Federation was 8089 people in 2020. The share of preschoolers in the total number of students with ASD is 24.5% (Khaustov & Shumskikh, 2020).

Modern foreign and domestic studies by González O.H., Wei X, A.A. Nesterova, A.V. Khaustov report the need to ensure the integrity of socialization and individualization for children with ASD (Khaustov & Shumskikh, 2020; González et al., 2020; Wei et al., 2014; Nesterova et al., 2016). The latter experience difficulties in social functioning, such as difficulties with social interaction, adaptation to the preschool institution environment. They

have stereotyped and limited interests, increased and/or decreased sensory reactivity, which can manifest itself in atypical behavioral responses such as distraction, aggression, and anxiety (Wei et al., 2014). Scientists have noted a low level of socially-mediated emotional response, changes in communication (delay or complete absence of verbal means of communication, lack of formation of alternative means of communication, functional language), stereotypy and mannerism in behavior (Dakopolos & Jahromi, 2019; Ho et al., 2019; Koegel et al., 2012).

Indeed, 88% of SPARK children with ASD are at risk of movement disorders. The relative risk of movement disorders was 22.2 times higher in children with ASD compared to the general child population (Bhat, 2021). It is aggravated by behavioral characteristics, characteristics of social interaction and communication.

A review modern research has revealed the following features in the motor sphere in children with ASD:

- dysregulation of muscle activity, lack of control over motor actions;
- difficulties in the targeting in the performance of movements and spatial orientation;
- problems with mastering the performance technique of basic movements: heavy gait, impulsive run with a dysrhythmia and wide arm span, stereotyped movements, tiptoeing;
- accompanying movements, autostimulation and stereotypy (Plaskunova, 2012; Krishtal, 2018; Lang et al., 2010).

A number of scientists propose to recognize movement disorders as one of the diagnostic criteria or specifiers of ASD (Bhat, 2021; Scharoun et al., 2014). Practice shows that reduced voluntariness in autistic children leads, first of all, to impaired coordination of movements, sensorimotor coordination and fine motor skills of the hands (Plaskunova, 2012; Krishtal, 2018; Lang et al., 2010). All this negatively affects the level of physical fitness of children. We consider physical fitness as a result of the process of physical training, expressed in a certain level of development of physical qualities (motor abilities), mastering motor skills and abilities.

The report of the Institute for Child Development (University of North Carolina, USA), January 2014, as well as Krishtal M., Lang R., Sowa M., Stavrou K., Solomko A.D. report the influence of physical activity on positive changes in the behavior of children with ASD (Plaskunova, 2012; Krishtal, 2018; Sowa & Meulenbroek, 2012; Stavrou et al., 2018; Solomko, 2012)

Studies focus on the need to adapt physical activity to the characteristics of children with ASD, develop and implement individual comprehensive correctional educational programs for them, use the potential of team forms of motor activity and sports games as a tool

for the socialization of children with ASD. It is emphasized that collective motor-play activity helps to develop various qualities, abilities, and skills of preschoolers with ASD (Plaskunova, 2012; Krishtal, 2018; Stavrou et al., 2018; Chumakova, 2016).

Currently, domestic and foreign scientific reviews and practical guidelines point out the need to search for new pedagogical solutions to the holistic socialization-individualization of children with ASD in motor activity, which requires the study and assessment of their physical fitness (Solomko, 2012; Greenspan & Wieder, 2009; Kahjoogh et al., 2020; Gavrilushkina & Egorova, 2007; Grashchenkova & Liebling, 2021).

## **Materials and Methods**

The objective was to inspect educational and physical challenges of senior preschoolers with ASD.

To achieve the objective, the following methods were used:

- theoretical: analysis, synthesis, generalization;
- empirical: fitness score tests: standing long jump (cm), 1kg ball throwing (cm), one-leg standing (sec), ball tossing and catching (number of times), 1kg medicine ball throwing behind the neck (cm), endurance run (m);
- mathematical statistics (Student's t-test).

The experimental study involved 17 senior preschoolers with ASD (14 boys and 3 girls) attending compensatory and combined groups of preschool educational institutions No. 12 and 15 in Belgorod. According to the “Regional Resource Center for Children with ASD and Other Mental Disorders” in Belgorod, as of 01.06.2021, the number of preschoolers with ASD in Belgorod is 75 people.

The theoretical and methodological basis for the study and scoring of the physical fitness of children with autism spectrum disorders in motor activity was the fundamental concept of the personality-activity approach of L.S. Vygotskii, A.N. Leontiev, S.L. Rubinshtein and others, that raising a child, including physical fitness, is focused on the development of his/her subjectivity in children's activities, considering personal potential and capabilities (Vygotskii, 1983; Leontiev, 2005; Rubinstein, 2000).

The following provisions have also been considered:

- theories of the development of children with autism spectrum disorders (K.S. Lebedinskaia, O.S. Nikolskaia, A.J. Dakopolos, S.L. Harris, P. Mundy, H. Steffenburg, M.

Varnock (Dakopolos & Jahromi, 2019; Lebedinskaia et al., 1989; Harris et al., 1991; Mundy, 1995; Steffenburg et al., 2018; Varnock, 2005).

- scientific and theoretical provisions on the relationship and interdependence of physical and mental development (P.K. Anokhin, G. Doman, A.D. Solomko, M. Sowa) (Sowa & Meulenbroek, 2012; Solomko, 2012; Anokhin, 2013; Doman, 1996);

- ideas of creating an inclusive educational environment for children with ASD, which are based on the postulate that, regardless of the child's abilities and personal resources, his need for physical activity and full-fledged physical development must be met (T.Iu. Bystrova, A.V. Khaustov, A.A. Nesterova, E.V. Plaskunova, A.D. Solomko) (Nesterova et al., 2016; Plaskunova, 2012; Solomko, 2012; Bystrova, 2016).

## Results and Discussion

Fitness score of preschool children with ASD was assessed using tests to study the level of development of physical qualities and motor skills. The peculiarity was the individual diagnostics of each child. Children received special assistance in performing tests (repeated demonstration of the elements of technique, joint performance, assistance, game stimulation, etc.).

Quantitative diagnostic results are presented in Table 1. For the purpose of comparison, the table also shows quantitative indicators for scoring the physical fitness of children with neurotypical development. Let us dwell on the quantitative and qualitative analysis for assessing the level of physical fitness of senior preschoolers with ASD.

**Table 1.** Results of fitness score of senior preschoolers with autism spectrum disorders.

Tests	Unit of measurement	Sex	M± m c children with ASD	M± m c children with neurotypical development	t	p
Standing long jump	cm	boys	35.07±8.58	113.6±14.69	4.62	<0.05
		girls	64.00±17.15	108.9±3.41	2.57	<0.05
Medicine ball long-distance throwing	cm	boys	148.57±27.58	157.3±27.35	0.22	>0.05
		girls	120.00±18.37	155.2±16.44	1.43	>0.05

One-leg balancing	sec.	boys	3.64±1.66	29.2±3.12	7.23	<0.05
		girls	3.50±0.18	33.8±4.61	6.57	<0.05
Ball tossing and catching	number of times	boys	17.4±4.35	21.86±8.13	0.48	>0.05
		girls	3.33±4.08	19.8±4.32	2.77	<0.05
Endurance run	distance (m), duration (min)	boys	162.14±42.69	745.42±43.00	9.63	<0.05
		girls	293.33±114.31	770.00±42.64	3.91	<0.05

During diagnostic tests of physical fitness all children with ASD, both boys and girls, had difficulties in performance. The preschoolers with ASD could not independently cope with the test task until their teacher shows the performance of movements. Verbal instruction alone was not enough to perform a movement. In addition to demonstrating the way to perform movements by adults, children were also helped by showing the technique of movements by another child.

During the endurance run test, more than half of the children coped with it unassisted. The teacher had to take the rest of the children by the hand and stimulate them to start completing the task, run with the children, set the pace and rhythm of movement. While running, these children showed stereotypical hand movements (flapping), impulsivity and rhythm disturbances.

Preschoolers with autism spectrum disorders had difficulties during Standing long jump in coordinated performance of the elements of technique, control over motor actions, showing a sluggish swing of the arms. Six (35.3%) children could jump and land with only one foot forward (stepping over). When performing this test, preschoolers did not respond to either speech instructions or active promptings.

The results of Medicine ball long-distance throwing indicate violations of sensorimotor coordination. Four (28.5%) boys and 2 (66.6%) girls could not coordinate the swing and throw, dropped the medicine ball instead of throwing it.

Violations of locomotor coordination were most severe during One-leg balancing. Both boys and girls found it difficult to understand the task, concentrate on and repeat the action. Six of 17 children completed the task (35.3%).

During Ball tossing and catching, 10 (71.4%) boys coped with the task, tossed and caught the ball correctly. The rest of the boys and all the girls had difficulties with the quality

of performance, i.e. the children threw the ball but could not always catch it, which was caused by spatial disorientation.

Thus, there is a heterogeneity and specificity of the quality and synchronicity of the performance of motor actions by children with autism spectrum disorders.

The comparison of the diagnostic results with the average indicators for children with neurotypical development indicates a significantly limited manifestation of physical qualities and the performance technique of the basic movements in children with ASD. The standing long jump, balancing, and endurance run tests showed significant differences both in girls and boys; while ball tossing and catching showed significant differences only in girls ( $p < 0.05$ ).

Student's t-test showed no significant differences by gender in the indicators of boys and girls with ASD. The empirical value  $t$  is within the range of insignificance ( $p > 0.05$ ).

The data of our study confirm the results of both domestic and foreign studies that children with ASD are characterized not only by cognitive, functional impairments, difficulties in social functioning but also motor problems (Plaskunova, 2012; Solomko, 2012; Koegel et al., 2012; Bhat, 2021).

Our study revealed violations of fine and gross motor skills, a retarded development of locomotor functions, manifested in the awkward and limited movements (tension, stiffness), which confirms the results of E.V. Plaksunova, A.D. Solomko, Bhat A.N, Lang R., Tyler K. (Bhat, 2021; Plaskunova, 2012; Lang et al., 2010; Solomko, 2012; Tyler et al., 2014).

## **Conclusion**

Thus, the physical fitness of children of this nosological group is distinguished by the specific performance of movements, the polarity of the indicators of the development of physical qualities.

Children with ASD have motor disorders, such as impulsive running with an uneven pace, inconsistent hand movements when tossing and catching a ball, single-support repulsion when jumping in a standing long jump test.

The results of our study revealed problems with the development of the balance function in children with ASD. Only 1/3 of preschoolers are able to maintain vertical balance, measure and regulate their actions in space, performing them freely, without undue stress and stiffness.

The study confirms the relevance and importance of the search for new approaches that ensure the use of the potential of individual and group forms of motor-play activity, as well as

the need to study their influence on the effectiveness of the process of physical training of children with ASD.

**Acknowledgment:** The article was funded by the grant of the Russian State Scientific Fund No.20-013-00434 "Modeling of the process of holistic socialization-individualization of preschoolers with disabilities in physical fitness and recreation activities"

**Conflict of interest:** there is no conflict of interest.

### References

- Anokhin, P.K. Essays on the physiology of functional systems. P.K. Anokhin. - M.: Kniga po trebovaniu, 2013. - 450 p.
- Bhat, A.N. Motor impairment increases in children with autism spectrum disorder as a function of social communication, cognitive and functional impairment, repetitive behavior severity, and comorbid diagnoses: a spark study report/ A.N. Bhat // Autism research. 2021, 14 (1), 202-219. <http://onlinelibrary.wiley.com/doi/epdf/10.1002/aur.2453>
- Bystrova, T. Iu. Designing an educational environment for children with autism spectrum disorders: to the statement of the question. Bulletin of Ural Federal University. Ser. 1, Problems of education, science. and culture. 2016, 1 (147), 168-174.
- Chumakova, E. Iu. The value of teaching foreign languages and physical culture for children with signs of autism. Problems and prospects for the development of education in Russia. – 2016, 45, 186 –191.
- Dakopoulos, A. J., & Jahromi, L.B. Differences in sensory responses among children with autism spectrum disorder and typical development: Links to joint attention and social 56 competence / A.J. Dakopoulos, L.B. Jahromi. Infant and Child Development. 2019, 28 (1). URL: <http://doi.org/10.1002/icd.2117>
- Doman, G. Harmonious development of the child, G. Doman. - M.: Akvarium, 1996. - 448 p.
- Gavrilushkina, O. P., & Egorova A. A. Game activity of preschoolers with intellectual disorders, Psychological science and education. 2007, 12 (5), 152-158.
- González, O. H., Amândio, J. P., & António, A. Education and socialization of children with autism spectrum disorder: an approach to the role of the teacher. Revista Internacional de Apoyo a la Inclusión, Logopedia, Sociedad y Multiculturalidad. 2020., 6(3). ISSN: 2387–0907. DOI.org/ 10.1007/s10803-019-04229-0.
- Grashchenkova, N. S., Liebling, M. M. The development of the communication ability in preschoolers with autism spectrum disorders in group "face to face" communication games. Clinical and special psychology. 2021, 10 (1), 15 - 35. DOI.org/ 10.17759/ cpse.2021100102.
- Greenspan, S. I., & Wieder, S. Engaging Autism: Using the Floortime approach to help children relate, communicate, and think. Cambridge, MA: Da Capo Press, 2009. – 448 p.
- Harris, S. L., Handleman, J. S., Kristoff, B., Bass, L., & Gordon, R. Changes in language development among autistic and peer children in segregated and an integrated preschool settings, Journal of Autism and Developmental Disorders. – 1991. – Vol. 20. – PP. 23 – 31. DOI.org/ 10.1007/BF02206854/
- Ho, T. Q., Gadke, L.D., et al. The effects of animated video modeling on joint attention and social engagement in children with autism spectrum disorder. Research in Autism Spectrum Disorders. 2019, 58, 83 – 95. URL: <https://doi.org/10.1016/j.rasd.2018.09.004>
- Kahjoogh, M. A., Psihyareh, E., Gharamaleki, F. et al. The Son-Rise Programme: an intervention to improve social interaction in children with autism spectrum disorder,



International Journal of Therapy and Rehabilitation. 2020 27 (5), 1–8. DOI.org/10.12968/ijtr.2018.0148.

Khaustov, A. V., & Shumskikh, M. A. Dynamics in the development of the education system of children with autism spectrum disorders in Russia: results of the All-Russian monitoring 2020. *Autism and Developmental Disorders*. 2021, 19, 1, 4–11.

Koegel, L. K., Vernon, T. et al. Improving Social Engagement and Initiations Between Children with Autism Spectrum Disorder and Their Peers in Inclusive Settings. *Autism Spectrum Disorders*. 2012, 14(4), 220 – 227.

Krishtal, M. (Slepian). Ode to Physical Education, or Why Sports are Necessary in a Comprehensive Program for Children with Autism. *Autism and Developmental Disorders*. 2018, 16, (1), 61-68. DOI. org/10.17759/autdd.2018160109.

Lang, R., Koegel, L. K., Ashbaugh, K., Register, A., Ence, W., & Smith, W. Physical exercise and individuals with autism spectrum disorders: A systematic review. *Research in Autism Spectrum Disorders*. 2010, 4, 565 – 574. DOI. org/10.1016/j. rasd.2010.01.006.

Lebedinskaia, K. S., Nikolskaya, O. S., Baenskaya, E. R. et al. Children with communication disorders: early childhood autism. *Prosveshchenie*. - 1989. - 92 p.

Leontiev, A. N. Activity. Creation. Personality: textbook. Academy. - 2005. - 352 p.

Mundy, P. Joint attention and social-emotional approach behavior in children with autism. *Development and Psychopathology*. 1995, 7, 63 – 82.

Nesterova, A. A., Aisina, R. M., & Suslova, T.F. Model of socialization support for children with autism spectrum disorder (ASD): comprehensive and interdisciplinary approaches. *Education and Science* 2016, 2 (131), 121–31.

Plaskunova, E.V. Organization of correctional and developmental education of children with autism spectrum disorders on the example of adaptive physical education. *Psychological and pedagogical research*. 2012, 3, 120 - 130.

Rubinstein, S. L. Fundamentals of general psychology, St.P.: Piter, 2000. - p. 712.

Scharoun, S., Reinders, N., Bryden, P., & Fletcher, P. Dance/Movement Therapy as an Intervention for Children with Autism Spectrum Disorders. *American Journal of Dance Therapy*. 2014, 36, 209 – 228. DOI.org/10.1007/ s10465-014-9179-0.

Solomko, A. D. Formation of play skills and emotional-perceptual sphere in children of 5-7 years old with autism spectrum disorders by means of physical education: Author's abstract of Cand. ped. Sciences: 13.00.04. Krasnodar, 2012. - 23 p.

Sowa, M., & Meulenbroek, R. Effects of physical exercise on Autism Spectrum Disorders: A meta-analysis. *Research in Autism Spectrum Disorders* 2012, 6, 46 – 57. DOI.org/10.1016/j.rasd.2011.09001.

Stavrou, K., Tsimaras, V., Alevridou, A., & Gregoriadis, A. The effect of an exercise program on communication and behavior of a child with Autism Spectrum Disorder, *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*. 2018, 22,99-106. DOI.org/10.15561/18189172.2.018.0206.

Steffenburg, H., Steffenburg, S., Gillberg, C., & Billstedt, E. Children with autism spectrum disorders and selective mutism. *Dis Treat*. 2018, 14, 1163 – 1169.

Tyler, K., Macdonald M., & Menear K. Physical activity and physical fitness of school-aged children and youth with autism spectrum disorders. *Autism Research and Treatment*. 2014, 312163. DOI. org/10.1155/2014/312163

Varnock, M. Special educational needs a new perspective. *Philosophy of the British Education Society*. –2005. // URL: <https://www.specialeducationalneeds.co.uk/warnock--sen.html>

Vygotskii, L. S. Collected works: in 6 volumes. History of the development of higher mental functions. *Problems of the mental development*. M.: Pedagogy, 1983. - 368 p.

Wei, X., Wagner, M., Chistiano, E.R.A., Shattuck, P., & Yu J.W. Special education services received by students with autism spectrum disorders from preschool through high school. *The Journal of special education*. 2014, 48 (3),167-179.